**Protein Structure &
Molecular Enzymology**

Vol. 1164, 1993

Cumulative Contents

Information for Contributors *vii*

Regular Papers

Optimal kinetic design of enzymes in a linear metabolic pathway
G. Pettersson (Sweden) 1

Structural analysis of tissue inhibitor of metalloproteinases-1 (TIMP-1) by tryptic peptide mapping
R.A. Williamson, B.J. Smith, S. Angal, G. Murphy and R.B. Freedman (UK) 8

Phosphonate inhibitors of glyceraldehyde-3-phosphate dehydrogenase and phosphoglycerate kinase
Y.-K. Li and L.D. Byers (USA) 17

An investigation into the stability of α-crystallin by NMR spectroscopy; evidence for a two-domain structure
J.A. Carver, J.A. Aquilina and R.J.W. Truscott (Australia) 22

L-Pipecolic acid oxidation in rat: subcellular localization and developmental study
V.V. Rao, M.J. Tsai, X. Pan and Y.-F. Chang (USA) 29

Improved synthetic methods for the selective deuteration of aromatic amino acids: applications of selective protonation towards the identification of protein folding intermediates through nuclear magnetic resonance
D.S. Wishart, B.D. Sykes and F.M. Richards (Canada, USA) 36

Deglycosylation with trifluoromethanesulfonic acid differentially affects inhibitor activities of turkey ovomucoid
D. Dabich, E.C. Yurewicz and V.A. Battel (USA) 47

Inactivation before significant conformational change during denaturation of papain by guanidine hydrochloride
J. Xiao, S.-J. Liang and C.-L. Tsou (China) 54

Inactivation precedes conformation change during thermal denaturation of adenylate kinase
Y.-L. Zhang, J.-M. Zhou and C.-L. Tsou (China) 61

Wide distribution of an enzyme that catalyzes the hydrolysis of cyclic ADP-ribose
H.C. Lee and R. Aarhus (USA) 68

Monoclonal antibodies to human stefin B and determination of their epitopes
N. Kopitar-Jerala, V. Čurin-Šerbec, R. Jerala, I. Križaj, F. Gubenšek and V. Turk (Slovenia) 75

Fusion activity of an amphiphilic polypeptide having acidic amino acid residues: generation of fusion activity by α-helix formation and charge neutralization
K. Kono, H. Nishii and T. Takagishi (Japan) 81

Properties of elastase from Atlantic cod, a cold-adapted proteinase
B. Ásgeirsson and J.B. Bjarnason (Iceland) 91

Immunological identification of human platelet mitochondrial DNA topoisomerase I
M.J. Kosovsky and G. Soslau (USA) 101

On the involvement of intramolecular protein disulfide in the irreversible inactivation of 3-hydroxy-3-methylglutaryl-CoA reductase by diallyl disulfide
R.V. Omkumar, S.M. Kadam, A. Banerji and T. Ramasarma (India) 108

Regular Papers

Variable temperature magnetic circular dichroism studies of reduced nitrogenase iron proteins and $[4Fe\text{-}4S]^{+}$ synthetic analog clusters
Y.A. Onate, M.G. Finnegan, B.J. Hales and M.K. Johnson (USA) 113

Hybrid enzymes for structure-function analysis of cytochrome *P*-450 2B11
K.M. Kedzie, S.W. Grimm, F. Chen and J.R. Halpert (USA) 124

Reconstitution of horse heart myoglobin with hemins methylated at 6- or 7-positions: a circular dichroism study
R. Santucci, F. Ascoli, G.N. La Mar, R.K. Pandey and K.M. Smith (Italy, USA) 133

The effect of antibodies to subunit V of cytochrome oxidase on cyanide inhibition of electron transfer
J.A. Freedman, B. Dyer, B. Tattrie and P. Nicholls (USA, Canada) 138

Identification of reactive vicinal cysteines in *Saccharomyces cerevisiae* (ATP) and cytosolic rat liver (GTP) phospho*enol*pyruvate carboxykinases
M.C. Rojas, M.V. Encinas, R.G. Kemp, S.P. Latshaw and E. Cardemil (Chile, USA) 143

Comparison of conformational changes of pregnancy zone protein and human α_2-macroglobulin, a study using hydrophobic affinity partitioning
P.E.H. Jensen, E.-M. Hägglöf, L.F. Arbelaez, T. Stigbrand and V.P. Shanbhag (Sweden) 152

Lungfish prolactin exhibits close tetrapod relationships
T. Noso, C.S. Nicoll and H. Kawauchi (Japan, USA) 159

Oxidative stress response in yeast: purification and some properties of a membrane-bound glutathione peroxidase from *Hansenula mrakii*
L.-T. Tran, Y. Inoue and A. Kimura (Japan) 166

Interactions of glutathione *S*-transferase-π with ethacrynic acid and its glutathione conjugate
S. Awasthi, S.K. Srivastava, F. Ahmad, H. Ahmad and G.A.S. Ansari (USA) 173

S-Adenosylhomocysteine hydrolase from the thermophilic archaeon *Sulfolobus solfataricus*: purification, physico-chemical and immunological properties
M. Porcelli, G. Cacciapuoti, S. Fusco, G. Iacomino, A. Gambacorta, M. De Rosa and V. Zappia (Italy) 179

Enzymatic synthesis of X-Phe-Leu-NH_2 in low water content systems: Influence of the *N*-α protecting group and the reaction medium composition
S. Calvet, P. Clapés, J.L. Torres, G. Valencia, J. Feixas and P. Adlercreutz (Spain, Sweden) 189

Comparative analysis of species-independent, isozyme-specific amino-acid substitutions in mammalian muscle, brain and liver glycogen phosphorylases
J.W. Hudson, K.L. Hefferon and M.M. Crerar (Canada) 197

Effect of the immediate precursors of phenylalanine and tyrosine on growth and protein synthesis in phenylalanine- and tyrosine-deprived HeLa cells
D.N. Wheatley, A. Miseta, E.M. Love, D. Strickland and I. Harris (UK, Hungary) 209

Inhibitory effects of enzymatic hydrolysates of collagen and collagen-related synthetic peptides on fibrinogen/thrombin clotting
S. Maruyama, I. Nonaka and H. Tanaka (Japan) 215

Rapid Reports

The complete primary structure of rat chaperonin 10 reveals a putative $\beta\alpha\beta$ nucleotide-binding domain with homology to $p21^{ras}$
D.J. Hartman, N.J. Hoogenraad, R. Condron and P.B. Høj (Australia) 219

The autophosphorylation and $p34^{cdc2}$ phosphorylation sites of casein kinase-2 β-subunit are not essential for reconstituting the fully-active heterotetrameric holoenzyme
F. Meggio, B. Boldyreff, O.-G. Issinger and L.A. Pinna (Italy, Germany) 223

Regular Papers

The properties of the secreted γ-glutamyl hydrolases from H35 hepatoma cells
Y. Wang, Z. Nimec, T.J. Ryan, J.A. Dias and J. Galivan (USA) 227

Local variations in protein structure in the human eye lens: a Raman microspectroscopic study
M.H. Smeets, G.F.J.M. Vrensen, K. Otto, G.J. Puppels and J. Greve (The Netherlands) 236

Kinetic analysis of papaya proteinase Ω
I.G. Sumner, A. Vaughan, R. Eisenthal, R.W. Pickersgill, A.J. Owen and P.W. Goodenough (UK) 243

Dipeptidyl peptidase IV (DPP-IV) from pig kidney cleaves analogs of bovine growth hormone-releasing factor (bGRF) modified at position 2 with Ser, Thr or Val. Extended DPP-IV substrate specificity?
R.A. Martin, D.L. Cleary, D.M. Guido, H.A. Zurcher-Neely and T.M. Kubiak (USA) 252

AMP-deaminase from human uterine smooth muscle: the effect of DTNB treatment on kinetic and regulatory properties of the enzyme
G. Nagel-Starczynowska and K. Kaletha (Poland) 261

Identification of the reactive cysteine residue in human placenta aldose reductase
S.-Q. Liu, A. Bhatnagar, N.H. Ansari and S.K. Srivastava (USA) 268

Comparison of acyl-carrier protein and other protein structures in aqueous solutions by Fourier-transform infrared spectroscopy
M.L. Ernst-Fonberg, L.M.S. Worsham and S.G. Williams (USA) 273

3-(Alkylthio)-*N*-hydroxysuccinimide derivatives: potent inhibitors of human leukocyte elastase
W.C. Groutas, R. Venkataraman, M.J. Brubaker, J.B. Epp, L.S. Chong, M.A. Stanga, J.J. McClenahan and F. Tagusagawa (USA) 283

Thiols, gold-thiols, zinc-thiols and the redox state of hemoglobin
S. Potuznik, D. Gelvan, P. Burda and P. Saltman (USA) 289

Identity and some properties of the L-threonine aldolase activity manifested by pure 2-amino-3-ketobutyrate ligase of *Escherichia coli*
J.P. Marcus and E.E. Dekker (USA) 299

Purification and properties of a flavodoxin from the heterocystous cyanobacterium *Anabaena sphaerica*
A.F. Yakunin, P.C. Hallenbeck, O.Y. Troshina and I.N. Gogotov (Russia, Canada) 305

The in-vivo identification of the MoFe protein (FeMo cofactor) of nitrogenase in *Klebsiella pneumoniae* and of the Mo-storage protein in *Azotobacter vinelandii* via the nuclear quadrupole interaction of $^{99}Mo(\beta^-)^{99}Tc$
P. Mottner, T. Butz, A. Lerf, J. Erfkamp, K. Schneider and A. Müller (Germany) 311

Fluorometric analysis of native, urea-denatured and refolded human prostatic acid phosphatase
W.S. Ostrowski, R. Kuciel, F. Tanaka and K. Yagi (Poland, Japan) 319

Purification and immunohistochemical tissue localization of human xanthine oxidase
Y. Moriwaki, T. Yamamoto, M. Suda, Y. Nasako, S. Takahashi, O.E. Agbedana, T. Hada and K. Higashino (Japan) 327

Nucleation of the iron core occurs at the three-fold channels of horse spleen apoferritin: an EXAFS study on the native and chemically-modified protein
R. Strange, S. Morante, S. Stefanini, E. Chiancone and A. Desideri (UK, Italy) 331

Cumulative Contents, Vol. 1164 335

Author Index 338